

KONE E MiniSpace™ DX visual options

This reliable and cost-effective elevator solution for residential buildings is durable, connected, easy to maintain, and available with clear specifications and carefully selected design options.

www.kone.ae

Key specifications



API ready



Connected



Max. speed
3.0 m/s



Max. load capacity
1,350 kg



Max. travel
160 m




Max. floors
63



Max. persons
18



Max. group size
4



Walls

Brushed stainless steel



A
316 grade stainless steel
Ⓢ Ⓡ



F
304 grade stainless steel
Ⓢ Ⓡ



ST4
Silver ST4AFP with anti-fingerprint coating
Ⓢ Ⓡ



ST4LH
Silver long hairline
Ⓢ Ⓡ



ST2
Gold
ST2AFP with anti-fingerprint coating
Ⓢ Ⓡ



ST5
Copper
ST5AFP with anti-fingerprint coating
Ⓢ Ⓡ



ST6
Bronze
ST6AFP with anti-fingerprint coating
Ⓢ Ⓡ



ST7
Carbon black
Ⓢ Ⓡ



ST8
Champagne Gold
Ⓢ Ⓡ



CB
Carbon black short with anti-fingerprint coating
Ⓢ Ⓡ



ST43
Silver
Ⓢ Ⓡ



ST43LH
Silver long hairline
Ⓢ Ⓡ

Painted steel



PP10FT
Pure White, fine textured
Ⓢ Ⓡ



PP18FT
Linen Brown, fine textured
Ⓢ Ⓡ



PP20FT
Wool Gray, fine textured
Ⓢ Ⓡ

Metallic painted steel



METP1FT
Champagne, fine textured
Ⓢ Ⓡ



METP7FT
Metallic Black, fine textured
Ⓢ Ⓡ

Metallic printed steel



MS1
Metallic Champagne
Ⓢ Ⓡ



MS2
Metallic Coffee
Ⓢ Ⓡ



MS3
Metallic Grey
Ⓢ Ⓡ

Wooden printed steel



WS1
Light wooden
Ⓢ Ⓡ



WS2
Warm wooden
Ⓢ Ⓡ



WS3
Dark wooden
Ⓢ Ⓡ




WS5
White oak
Ⓢ Ⓡ

Mirror-polished stainless steel



MP1
Silver
Ⓢ Ⓡ




MP4
Copper
Ⓢ Ⓡ




MP5
Carbon Black
Ⓢ Ⓡ

Textured stainless steel



K
Scottish Quad
Ⓢ Ⓡ



TS2
Flemish Linen
Ⓢ Ⓡ


Note:
Ⓢ Nordic Swan Ecolabel
Ⓡ LEED/BREEAM
* Anti-stain, anti-fingerprint coating: This specialized coating helps keep colored stainless steel elevator materials looking as good as new by preventing staining and making fingerprints less visible.

Floors

Single-color pvc




D6
Light Brown



D25
Rocky Gray
🌿



D32
Nordic White
🌿



D33
Sandstone Brown
🌿




D34
Laurent Black
🌿

Patterned pvc



DG07



DG15
Himalayan Grey




DG16
Warm Sand



DG17
Grey Sand


PVC Floor customization



Marble tile



MT1
Elegant Black
🌿



MT2
Frosty Gray
🌿



MT3
White Marble
🌿

Note:
🌿 Nordic Swan Ecolabel
🌿 LEED/BREEAM



Doors

Brushed stainless steel



ST4
Silver
ST4AFP with
anti-fingerprint
coating
Ⓢ Ⓡ



ST4LH
Silver long hairline
Ⓢ Ⓡ



ST2
Gold
ST2AFP with
anti-fingerprint
coating
Ⓢ Ⓡ




ST5
Copper
ST5AFP with
anti-fingerprint
coating
Ⓢ Ⓡ



ST6
Bronze
ST6AFP with
anti-fingerprint
coating
Ⓢ Ⓡ



ST7
Carbon black
Ⓢ Ⓡ



ST8
Champagne Gold
Ⓢ Ⓡ



CB
Carbon black
short with
anti-fingerprint
coating
Ⓢ Ⓡ



ST43
Silver
Ⓢ Ⓡ



ST43LH
Silver long hairline
Ⓢ Ⓡ

Painted steel



PP10FT
Pure White,
fine textured
Ⓢ Ⓡ



PP18FT
Linen Brown,
fine textured
Ⓢ Ⓡ




PP20FT
Wool Gray,
fine textured
Ⓢ Ⓡ

Metallic painted steel




METP1FT
Champagne,
fine textured
Ⓢ Ⓡ



METP7FT
Metallic Black,
fine textured
Ⓢ Ⓡ

Textured stainless steel



K
Scottish Quad
Ⓢ Ⓡ

Note:

Ⓢ Nordic Swan Ecolabel

Ⓡ LEED/BREEAM

* Anti-stain, anti-fingerprint coating: This specialized coating helps keep colored stainless steel elevator materials looking as good as new by preventing staining and making fingerprints less visible.

Ceilings



CL71
Lighting: LED stripes
Finishing: ST4, ST43



CL80
Lighting: LED spot
Finishing: ST4, ST43, PP10FT, MP1



CL82
Lighting: LED spot
Finishing: ST4, ST43, PP10FT, MP1



CL91
Lighting: LED tubes
Finishing: ST4, PP10FT, ST43



CL103
Lighting: LED tubes
Finishing: ST4, ST43



CL109
Lighting: LED PCB
Finishing: ST4, PP10FT



CL12
Lighting: LED
Finishing: ST43, PP10FT



LF18
lighting: LED Strip
finishing: ST4, ST43, MP1, PP10FT



LF71S
Lighting: LED stripes
Finishing: ST4, ST43



LF80S
Lighting: LED spot
Finishing: ST4, ST43, MP1, PP10FT



LF91S
Lighting: LED strips
Finishing: PP10FT ST4 ST43 MP1

Handrails



HR24R
Silver brushed stainless steel AISI304



HR61
Brushed stainless steel, silver, gold, copper, bronze, carbon black, champagne gold, or P70 anti-bacteria finishing



HR31
Round aluminum with black plastic end




HR64 *(EN81-70)
Brushed stainless steel, silver, gold, copper, bronze, carbon black, champagne gold, or P70 anti-bacteria finishing

Finishes

- Silver (ST4)
- Gold (ST2)
- Copper (ST5)
- Bronze (ST6)
- Carbon Black (ST7)
- Carbon Black (P70) (anti-bacteria)
- Champagne (ST8)
- Silver (ST43)
- Pure white (PP10FT)
- Silver (MP1)

Skirtings



HR61
Brushed stainless steel, silver, gold, copper, bronze, carbon black, champagne gold, or P70 anti-bacteria finishing

KDS 220 - Carefully crafted reliability

Car operating panel (COP)



Partial height COP

Full height COP

The KDS 220 signalization family provides excellent usability and reliability in a timeless design. Bright contrast LED or LCD displays and black and white operating buttons provide clear guidance for passengers inside the elevator car and on landings, while the sleek steel and tempered glass materials are stylish and durable.



Horizontal COP
(SEC keypad)



Horizontal COP
(TTC keypad)



Horizontal COP
(KDS floor button)

UPGRADE OPTION


MediaScreen 100

Vertical



10.4" TFT LCD
12.1" TFT LCD
15" TFT LCD

Horizontal



10.4" TFT LCD
12.1" TFT LCD
15" TFT LCD

Buttons

Round surface mounted, Braille as an option, Square surface mounted with braille for EN81-70-2018, Relief marking round surface button for EN81-70_2021_A1



Silver stainless steel with Braille



Black glass



Silver stainless steel



Relief marking round surface

Faceplate finishes



Silver (ST4AFP) with anti-fingerprint coating

Mounting types

Surface mounted: landing, partial height & horizontal COP
Flush mounted: full-height COP

Display

7-segment, dot-matrix. STN LCD
Amber LED, White LED


Hall lanterns and indicators



HI

HL

Landing devices



Duplex LCI

Simplex LCI

Landing call station



LCS without indicator

KSS 280 – Modern durability

Car operating panel (COP)



KSC 288
Full height,
Flush mounted

KSC 276
Full height,
Flush mounted



KSC 286
Partial height,
Surface mounted

The KSS 280 signalization family is designed to provide simple, reliable guidance in low and medium-rise residential buildings. Available with a partial or full-height COP, it features a sleek, hardwearing stainless steel faceplate and clear segmented LCD displays for the COP and landing devices.



reddot design award
winner 2012

Faceplate finishes



Asturias Satin (F)

Displays

Segmented LCD
LED display (KSH 280)

Landing devices



KSI
286

KSH
280

KSJ
280

KSL
270



KSL
280



KSL
284



KSL
286
Simplex



KSL
286
Duplex

Design online with KONE Studio

Explore different elevator options and configurations online before starting a new project. Make the right design choices, use the correct dimensions and get accurate planning specifications.



Design with 3D visuals

Find the look you love with a simple, easy-to-use and free online design tool.



Use exact building specifications

Optimize planning with accurate and always up-to-date product data.




Save project details

Test and finalize your custom designs, then make changes later if needed.



Export CAD and BIM drawings

Identify potential issues and plan ahead to avoid surprises during construction.



Scan the QR code to try the KONE Studio

www.kone.ae





KONE provides innovative and eco-efficient solutions for elevators, escalators, automatic building doors and the systems that integrate them with today's intelligent buildings. We support our customers every step of the way: from design, manufacturing and installation to maintenance and modernization. KONE is a global leader in managing the smooth flow of people and goods throughout buildings. This makes us a reliable partner throughout the building life cycle. We are fast, flexible, and we have a well-deserved reputation as a technology leader, with such innovations as KONE 24/7 Connected Services and KONE UltraRope®. KONE employs over 60,000 dedicated experts to serve you globally and locally.

UAE

Dubai (regional Office)

KONE Middle East LLC
U-Bora Tower,
C/O Al Abraj Str & Al Khaleej Str,
Business Bay.
P.O. Box 21474
Tel: +971 4 279 4500
www.kone.ae

Kingdom of Saudi Arabia

Riyadh (Head Office)

KONE Areeco Ltd
King Fahad Road,
Olaya District,
Al Hamad Tower, Floor 8.
Tel: +966 9200 17055
www.kone.sa

Egypt

KONE LLC
Plot no.10 B, Mohamed Naguib Axis,
Fifth Settlement,
O1 Mall, KONE 2nd Floor, New Cairo.
Tel: +20 232 44 300
www.kone.eg

Morocco

KONE Elevators and Escalators
SARLAU
Lot Marjana N6,
Sidi Maarouf, Casablanca.
P.O Box 20280
Tel: 0522 58 02 11
www.kone.ma

Qatar

KONE Elevators LLC
Ghanem Office Tower,
Building No. 54, Street No. 640,
Zone 23, Salwa Road,
Bin Mahmoud Area, Doha.
P.O. Box 37143
Tel: +974 4488 8835
www.kone.qa

Oman

KONE Assarain LLC
Hatat House B, Office 103, 1st Floor,
Wadi Adai, Ruwi 112, Muscat.
P.O. Box 1475
Tel: +968 246 570 00
www.kone.om

Bahrain

KONE Bahrain SPC
Building 767, Office number 61,
Road number: 3629,
Block number: 336,
Adliya, Kingdom of Bahrain.
P.O. Box 21303
Tel: +973 1774 9271
www.kone.bh

Kuwait

Laila Tower, 14th floor, office 3,
Salmiya, Kuwait.
P.O. Box 21119 - Safat 13072
www.kone.com.kw

Tunisia

Ensemble Mobilier Miniar,
Rue du Lac d'Ourmia,
1053 Les Berges du Lac,
Tunis, Tunisie.
www.kone.tn

East Africa (Kenya and Uganda)

KONE NAIROBI (Head Office)
Crowne Plaza Annexe, 13th Floor,
Along Kenya Road, Nairobi, Kenya.
P.O. Box 35174-00100
www.kone.co.ke
www.kone.ug

South Africa

KONE Elevators South Africa (Pty) Ltd,
Unit 11, 11B Riley Road,
Eastwood Office Park,
Bedfordview Ext. 328, 2007
Tel: +27 11 035 1800
www.kone.co.za

Türkiye

İçerenköy Mah. Değirmenyolu Cad.
No:28 Asiaofispark B Blok D:3 Kat:2
34752 Ataşehir/İstanbul.
Tel: 444 56 63
www.kone.com.tr

Kazakhstan

KONE Kazakhstan LLP
D.Konayev Street 12/1,
floor 9, 010017,
Astana, Kazakhstan.
www.kone.kz

This publication is for general informational purposes only and we reserve the right at any time to alter the product design and specifications. No statement this publication contains shall be construed as a warranty or condition, express or implied, as to any product, its fitness for any particular purpose, merchantability, quality or representation of the terms of any purchase agreement. Minor differences between printed and actual colors may exist. KONE MonoSpace® DX, KONE EcoDisc®, KONE Care® and People Flow® are registered trademarks of KONE Corporation. Copyright © 2024 KONE Corporation.

www.kone.ae

**Dedicated to
People Flow™**